

Heritage 42SS Fireplace

ecosmar⁺
Fire

The Heritage Fireplace Series reimagines the classic hearth for modern homes, blending timeless aesthetics with innovative technology.



Heritage 42SS Fireplace

ecosmar⁺
Fire

Design Features



Available in Three Sizes

Heritage Fireplaces are available in three sizes: the **Heritage 26SS** and **Heritage 42SS**, both featuring the award-winning BK5 Burner, and the **Heritage 56SS**, the largest model, powered by the best-selling XL900 Burner.

Colours

Available in a timeless black finish, Heritage Fireplaces feature a stainless steel burner and offer the option of black for the Heritage 56SS model.

Built to Last a Lifetime

Zinc sealed steel construction powder coated with super hi-temp black paint prevents rusting so all fireplaces can be used both indoors or outdoors.

1. Zero Clearance

Self-contained, zero clearance construction allows your Heritage fireplace to be framed into wood or metal studs, providing installation freedom and flexibility for builders, architects, interior designers, landscapers and homeowners.

Single Room Application

Single Sided fireplaces feature one open side - view the flame from the front.

Quick and Easy Installation

Requiring minimal assembly, Heritage Fireplaces are designed to be placed into the desired location, safely secured into position, and operated immediately.

2. Traditional Aesthetic

Ceramic fire-rated wood logs and the iron grate design create a classic fireplace look.

No Flue, No Chimney, No Vent

Fuelled by clean-burning e-NRG bioethanol, our burners produce a beautiful orange flame without any smoke, soot or ash.

Forefront of Fireplace Technology

Backed by 20+ years of research and development, and third-party certification, each model in the Heritage series features world-class safety and fuel ignition technologies.

3. Glass Fire Screen

The toughened glass fire screen stabilises the flame in windy conditions. The Integrated windscreen sits flush behind the frame.

Global Compliance

These models comply with existing standards in the USA, Europe, UK and Australia. O-TL listed to UL1370, EN 16647 BSI Certified and ACCC Safety Mandate compliant.

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

Heritage 42SS Fireplace

Accessories

Included



Jerry Can with Safety Spout and e-NRG* bottle adaptor

Jerry Can allows safe storing/decanting of e-NRG ethanol. The e-NRG adaptor connects the Safety Spout to an e-NRG fuel bottle.



Decorative Ceramic Logs

Engineered to mimic wood, our ceramic logs provide an authentic visual experience without ash, debris or residue.




Lighting Rod & Lighter

The Lighting Rod is designed to safely adjust the slider position on the burner. It is also used for the ignition procedure.



Grate Insert

Crafted using 1.2mm SECC steel for the tray and 10mm SECC steel for the bars, all finished with a high-temp black powder coating for durability and style.



Glass Fire Screen

Paired with a glass fire screen, to stabilises the flame in windy conditions.


*e-NRG not available in all countries.

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.

Heritage 42SS



Specifications



ESF.HB.42SS

Product Dimensions

W 1,268 mm [49.9 in]
D 539 mm [21.2 in]
H 1,053 mm [41.3 in]

Weight (approx)

57.4 kg [126.3 lb]
Weight includes grate & burner.

Product Materials

Mild Steel (Zinc Sealed) Hi-temp Powder Coat Surround;
Toughened Glass Fire Screen; 1.2mm SECC steel tray and 10mm SECC steel bars with Hi-temp Powder Coat; Grade 304 Stainless Steel Burner.

Viewing Area

W 1,068 mm [42.0 in]
H 850mm [33.5 in]

Surround Colour

Black



Burner Colour

Stainless Steel



Burner Ventilation and Efficiency*

Fuel Type	Compatible Burner	Fuel Capacity	Heats on Average (Indoors)	Thermal Output Net (MAX per burner)	Approx. Burn Time	Minimum Room Size	Application
e-NRG Bioethanol e-NRG.com	BK5	5 L [1.3 Gals]	Over 35 m ² [376.7 ft ²]	14 MJ/h, 13,000 BTU/h, 3.5 kW	7 - 11 hours	70 m ³ [2,472 ft ³]	Indoor & Outdoor

*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG. Physical model dimensions should be verified against cut out dimensions BEFORE installation begins to confirm tolerances align. These models comply with existing standards in the USA, Europe, UK and Australia. O-TL listed to UL1370, EN 16647 BSI Certified and ACCC Safety Mandate compliant.

For more information please reference the Clearance & Installation Manual

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. MDG disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of MDG. Customers using or selling MDG products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify MDG for any damages arising or resulting from such use or sale. Please contact authorised personnel from MDG to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.